

## REFERENCES

Aliaga D., Davy A., and Schaff H., 1985, "A Simple Crack Closure Model for Predicting Fatigue Crack Growth under Flight Simulation Loading, Durability and Damage Tolerance in Aircraft Design", A. Salvetti and G. Cavallini, Ed., EMAS, Warley, U.K., p 605-630.

ANSYS User's Manual 5.7 : Ansys structural analysis guide.

Andresen Peter L. (GE Corporate Research & Development), 1996, "Corrosion Fatigue Testing", Fatigue and Fracture, Vol. 19. P 193-209.

Saxena Ashok and Muhlstein Christopher L., 1996, "Fatigue Crack Growth Testing", Fatigue and fracture, Vol. 19, p 168-184.

ASTM. 1995, Annual Book of ASTM Standards E647 – 95a, Am. Soc. for Testing and Materials, "Standard Test Method for Measurement of Fatigue Crack Growth rates", pp. 562-598.

Barsom J.M., E.J. Imhoff, and S.T. Rolfe, 1971, Fatigue Crack Propagation in high Yield Strength Steels, *Eng. Fract. Mech.*, Vol 2, p301-324.

Baudin G. and Robert M., 1984, "Crack growth Life Time Prediction under Aeronautical Type Loading", Proc. Fifth European Conf. on Fracure, p 779.

Bellinger NC, SK Kumar, Komorowski JP, 1994, "Modeling of pillowing in aircraft lap joints due to corrosion," Canadian Aeronautics and Space Journal , Vol. 40, No. 3, p 125-130.

Boissonat J., 1963, "Experimental Research on the effects of a Static Preloading on the Fatigue Life of Structural components, Fatigue of Aircraft Structures", W. Barrois and E. Ripley, Ed., Pergamon Press, p 97-113.

Bradley Dodd and Yilong Bai, 1987, "Ductile Fracture and Ductility with Applications to Metalworking", Academic Press.

Bradshaw F.J. and Wheeler C., 1969, "The Effect of Gaseous Environment and Fatigue Frequency on the Growth of Fatigue Cracks in Some Aluminium Alloys", *Int. J. Fract.*, Vol. 6, p 225.

Broek D., 1988, "The Practical Use of Fracture Mechanics", Kluwer Academic Publishers.

Broek D., 1972, "Fatigue Crack Growth and Residual Strength of Aluminium Sheet at Low Temperature, Report TR 72096, National Aerospace Laboratory, Amsterdam.

Cullen W., Gabetta G., and Hanninen H., Dec. 1985, "A review of the Methods and Mechanisms for the Environmentally-assisted Crack Growth of Pressure Vessel and Piping Steels in PWR Environments," NUREG/CR-4422 MEA-2078, U.S. Nuclear Regulatory Commission.

Dahl W. and Roth G., 1979, "On the Influence of Overloads on Fatigue Crack Propagation in Structural Steels," Tech. Un. Aachen.

Broek David, 1988, *The Practical Use of Fracture Mechanics*, Kluwer Academic Publishers.

De Koning A.U. and Dougherty D.J., 1981, "A Simple Crack Closure Model for Prediction of Fatigue Crack Growth Rates under Variable Amplitude Loading, *Fracture Mechanics*", R. Roberts, Ed., STP 743, ASTM, p 63.

De Koning A.U. and Dougherty D.J., 1989, "Prediction of Low and High Crack Growth Rates under Constant and Variable Amplitude Loading, *Fatigue Crack Growth under Variable Amplitude Loading*", J. Petit et al., Ed., Elsevier, p 208-217.

De Koning A.U., Dougherty D.J., and Hillberry B.M., 1992, "Modelling High Crack Growth Rates under Variable Amplitude Loading, *Advances in Fatigue Lifetime Predictive Techniques*", STP 1122, ASTM, p 214-233.

Dowling N.E., 1993, *Mechanical Behavior of Materials: Engineering Methods for Deformation, Fracture, and Fatigue*", Prentice-Hall.

Elber W., 1970, "Fatigue Crack Closure under Cyclic Tension," *Engineering Fracture Mechanics*, Vol. 2(1), pp. 37-45.

Elber W., 1971, "The significance of Fatigue Crack closure," *Damage Tolerance in Aircraft Structures*, STP 486, ASTM, American Soc. for Testing and Materials, Philadelphia, PA. pp 230-242.

Endo K. and Miyao Y., 1958, "Effects of cyclic Frequency on the Corrosion Fatigue Strength", *Bulletin Japan, Soc. Mech. Engineers*, Vol. 1, p 374-380.

Ford F.P., 1988, Status of Research on Environmentally Assisted Cracking in LWR Pressure Vessel Steels, *Trans. ASME, J. Pressure Vessel Technology*, Vol. 110, p 113-128.

Führung H. and Seeger T., 1979, "Structural Memory of Cracked Components under Irregular Loading, *Fracture Mechanics*", C.W. Smith, Ed. STP 677, ASTM, p 1144-1167.

Führung H. and Seeger T., 1979, "Dugdale Crack Closure Analysis of Fatigue Cracks under Constant Amplitude Loading", *Eng. Fract. Mech.*, Vol. 11, p 99-122.

- Gangloff R.P. and Wei R.P., 1977, "Metall. Trans. A", Vol 8A, p 1043.
- Gangloff R.P., 1984, Exxon Research and Engineering Co., unpublished research.
- Gill S.J. and Crooker T.W., 1990, *Marine Tech.*, Vol. 27, p 221.
- Hartman A., 1965, "On the Effect of Oxygen and Water Vapor on the Propagation of Fatigue Cracks in 2024-T3 Alclad Sheet", *Int. J. Fract. Mech.*, Vol. 1, p 167.
- Heywood R.B., 1956, "The effect of High Loads on Fatigue, Colloquium on Fatigue", W. Weibull and F.K.G. Odquist, Ed., Springer Verlag, p 92-102.
- Heuler P. and Schütz W. 1985, "Fatigue Life Prediction in the Crack Initiation and Crack Propagation Stages, Durability and Damage Tolerance in Aircraft Design", A. Salvetti and G. Cavallini, Ed., EMAS, Warley, U.K., p 33-69.
- Hinton B, Shankar K, Trathen P, Salagaras M, Wilson L, Devereaux G, 1996, "Control of corrosion on Aluminum alloys with corrosion prevention compounds", Paper #335, 13<sup>th</sup> International Corrosion Congress, Melbourne, Australia, 25-29 November.
- Irwin, G.R., 1960, "Plastic zone near a crack and fracture toughness" In Proceedings of the Seventh Sagamore Ordnance Materials Conference, Vol. IV, pp. 63-78. New York: Syracuse University.
- Ogura Keiji & Ohji Kiyotsugu, 1977, "FEM analysis of crack closure and delay effect in fatigue crack growth under variable amplitude loading", *Engineering fracture mechanics*, Vol. 9, pp.471-480.
- Komorowski JP, K Shankar, Gould RW, et al., 1993, "Corrosion detection in aircraft structures," 1993 USAF Structural Integrity Program Conference, San Antonio, Texas, 30.
- Komorowski JP., Kumar S K, Gould RW, Bellinger NC, Karpala F, Hageniers OL, 1996, "Double pass retroflexion for corrosion detection in Aircraft structures." *Materials Eva. Lu.* Vol. 54, No. 1, p 80-86.
- Shankar Krishnakumar, Dhamari Rudy, 2002, "Fatigue behavior of aluminum alloy 7075 bolted joints treated with oily film corrosion compounds", *Materials and Design* 23, Elsevier, p 209-216.
- Kumar R., 1992, "Review on Crack Closure for Constant Amplitude Loading in Fatigue", *Eng. Fract. Mech.*, Vol. 42, p 389-400.
- Mills W.J. and Hertzberg R.W., 1975, "The Effect of Sheet Thickness on Fatigue Crack Retardation in 2024-T3 Aluminum Alloy", *Eng. Fract. Mech.*, Vol. 7, p 705-711.

Mills W.J. and Hertzberg R.W., 1976, "Load Interaction Effects on Fatigue Crack Propagation in 2024-T3 Aluminum Alloy", Eng. Fract. Mech., Vol. 8, p 657-667

Miner M.A., 1945, "Cumulative Damage in Fatigue", Journal of Applied Mechanics, Vol. 12, p A159 - A164.

Naumann E.C., Hardrath H.R., and Guthrie E.C., 1959, "Axial Load Fatigue Tests of 2024-T3 and 7075-T6 Aluminum Alloy Sheet Specimens under Constant- and Variable Amplitude Loads," Report TN D-212, NASA Fatigue Crack Growth under Spectrum loads, 1976, STP 595, ASTM.

Newman Jr. J.C., Amen H., 1975, "Elastic-Plasticity Analysis of a Propagating Crack under Cyclic Loading", AIAA J., Vol. 13, p 1017-1023.

Newman Jr. J.C., 1981, "A Crack-closure model for Predicting Fatigue Crack Growth under Aircraft Spectrum Loading, Methods and models for Predicting Fatigue Crack Growth under Random loading", J.B. Chang and C.M. Hudson, Ed. STP 748, ASTM, p 53-84.

Newman Jr. J.C., Dawicke D.S., 1989, "Prediction of Fatigue-Crack Growth in a High-Strength Aluminum Alloy under Variable-Amplitude Loading", NASA Technical Memorandum 101544, The Seventh International Conference on Fracture, March 20-24, Feb. 1989.

Newman Jr. J.C., 1997, "Prediction of Crack Growth under Variable-Amplitude Loading in thin-Sheet 2024-T3 Aluminum Alloys", NASA Langley Research Center, Hampton, Virginia, USA, Engineering Against Fatigue, University of Sheffield.

Barsom J.M., Imhoff E.J., and Rolfe S.T., 1971, "Fatigue Crack Propagation in high Yield Strength Steels", Eng. Fract. Mech., Vol 2., p301-324

Ohji K., Ogura K., and Ohkubo Y., 1975, "Cyclic Analysis of a Propagating Crack and its Correlation with Fatigue Crack Growth", Eng. Fract. Mech., Vol. 7, p 457-463.

Padmadinata U.H., 1990, "Investigation of Crack-Closure Prediction Models for Fatigue in Aluminum Sheet under Flight-Simulation Loading," Ph.D. dissertation, Delft University of Technology.

Pao P.S., Wei W., and Wei R.P., 1979, "Environment-sensitive Fracture of Engineering Materials", TMS-TIME, p 565.

Pao P.S., (Materials Science and Technology Division, Naval Research Laboratory), 1996, "Mechanisms of corrosion fatigue", Fatigue and Fracture, Vol. 19, P 185-192.

Paris P.C., 1964, "The Fracture Mechanics Approach to Fatigue," Fatigue-An Interdisciplinary Approach, J.J. Burke, et al., Proc. of the 10<sup>th</sup> Sagamore Army Materials Research Conf.3, Syracuse University Press, Syracuse, NY, pp. 107-127.

Proc. Int. Symp. On Plan aging and Life Prediction of Corrodible Structures, 1995, National Association of Corrosion Engineers.

Proc. Int. Symp. On Plan aging and Life Prediction of Corrodible Structures, 1995, Corrosion Fatigue, Corrosion Tests and Standards: Application and Interpretation, R. Baboian, Ed., ASTM.

McClung R.C., & Sehitoglu H., 1989, "On the finite element analysis of fatigue crack closure-1. Basic modeling issues, Engineering fracture mechanics", Vol. 33, pp.237-252

Sanford R.J., 2002, "Principles of fracture mechanics", Prentice-Hall.

Rolfe S.T. and Barsom J.M., 1977, "Fracture and Fatigue Control in Structures", Prentice-Hall.

Dhamari Rudy, Shankar Krishnakumar and Wei Riyu, 1999, "Effect of Corrosion Prevention Compounds on Fatigue Life of Double Lap Joints" University College, UNSW, ADFA, ACT 2600 Australia, ACAM 99, The Second Australasian Congress on Applied Mechanics, 10-12 February 1999, Canberra, Australia.

Schijve J., 1970, "Cumulative Damage Problems in Aircraft Structures and Materials", Aero. J., Vol. 74, p 517-532.

Schijve J., 1972, "The Accumulation of Fatigue Damage in Aircraft Materials and Structures, AGARDograph 157.

Schijve J., 1972, "Effects of Test Frequency on Fatigue Crack Propagation under Flight-Simulation Loading", Symp. On Random Load Fatigue, AGARD CP 118..

Schijve J., 1973, "Effect of Load Sequences on Crack Propagation under Random and Program Loading", Eng. Fract. Mech., Vol. 5, p 269-280.

Schijve J., 1976, "Observations on the Prediction of Fatigue Crack Propagation under Variable-Amplitude Loading", Fatigue Crack Growth under Spectrum Loads, STP 595, ASTM, p 3-23.

Schijve J., 1979, "Four Lectures on Fatigue Crack Growth", Eng. Fract. Mech., Vol. 11, p 176-221.

Schijve J., 1985, "The Significance of Flight Simulation Fatigue tests, Durability and

Damage Tolerance in aircraft Design”, A. Salvetti and G. Cavallini, Ed., EMAS, Warley, U.K., p 71-170.

Schijve J., Vlutters A.M., Ichsan S.P., and ProvoKluit J.C., 1985, “Crack Growth in Aluminum Alloy Sheet Material under Flight-Simulation Loading”, *Int. J. Fatigue*, Vol. 7, p 127-136.

Schijve J., 1992, “Fundamental Aspects of Predictions on Fatigue Crack Growth under Variable Amplitude Loading, Theoretical Concepts and Numerical Analysis of Fatigue”, A.F. Blom and C.J. Beevers, Ed., EMAS, Warley, U.K., p 111-130.

Schijve J. (Delft University of Technology), 1996, “Fatigue Crack Growth under Variable-Amplitude Loading”, *Fatigue and Fracture*, Vol. 19, P110-133.

Schütz W., 1979, “The Prediction of Fatigue Life in the Crack Initiation and Propagation Stages: A State of the Art Survey”, *Eng. Fract. Mech.*, Vol. 11, p 405-421

Scott P.M. and Truswell A.E., 1983, “Corrosion Fatigue Crack Growth in Reactor Pressure Vessel Steels in PWR Primary Water”, *J. Pressure Vessel Tech.*, Vol. 105, p 245-254.

Tür Yahya K., et al., 1996, “Periodic Tensile Overloads in 2024-T3 Al-Alloy”, *Engineering Fracture Mechanics*, Vol. 53, No. 1, p 69-77.

Tür Y.K. and Vardar Ö., 1996, “Periodic Tensile Overloads in 2024-T3 Aluminum Alloy”, *Engineering. Fracture. Mechanics.*, Vol 8, p 657-667.

Van Der Sluys W. and Emanuelson R., May 1985, “Overview of Data Trends in Cyclic Crack Growth Results in LWR Environments”, *Proc. 2<sup>nd</sup> IAEA Specialists’ Meeting on Subcritical Crack Growth (Sendai, Japan)*, U.S. Nuclear Regulatory Commission, p 15-17.

Walker K., 1970, “The Effect of Stress Ratio During Crack Propagation and Fatigue for 2024-T3 and 7075-T6 Aluminum,” *Effects of Environment and Complex Load History on Fatigue Life*, ASTM STP 462, Am. Soc. for Testing and Materials, West Conshohocken, PA, pp. 1-14.

Wang G.S. and Blom A.F., 1991, “A Strip Model for Fatigue Crack Growth Predictions under General Load Conditions”, *Eng. Fract. Mech.*, Vol. 40, p 507-533.

Willenborg J., Engle R.M., and Wood H.A., 1971, “A Crack Growth Retardation Model Using as Effective Stress Concept,” Report TR71-1, Air Force Flight Dynamic Laboratory, Wright-Patterson Air Force Base.

Wheeler O.E., 1972, “Spectrum Loading and Crack Growth”, *J. Basic Eng.*, Vol. 94, p 181-186.